# 19th National Conference on Rural Public & Intercity Bus Transportation Conference

October 26, 2010

### Update on New Access Board Bus and Van Guidelines

Dan Mundy DM Consulting

### Background with ADA

- Wheelchair Lifts
- Interlocks
- Bus/Van Specifications
- ■ADA Modifications


#### **Issue**

#### Recommendation

Ramp angle of 1:6

Vehicles less than 22' or too narrow for proposed

regulation











**Issue** 

**Examples** 

 Bus length is measured from standard bumpers to determine ADA requirements.



#### **Issue**

#### Recommendation

Urban vs. Rural Service



Regulations should be written for service and bus type.

 Used buses must be updated to current ADA requirements



Expensive and will reduce service. Keep current regulation for rural service.

Operation contracts



Review for possible conflicts

 30X48 clear space with 30X54 maneuver area



Will need to consider buses with a raised floor above wheel wells

**Issue** 

**Example** 

Raised floor to meet ADA regulations





Full length track






#### **Issue**

#### **Example**

Raised floor (cont.)

Three step entry

Eye brow over W/C lift door






**Issue** 

**Example** 

 W/C lift door handles, driver signal device and public notification



Folding/Flip Seats





**Issue** 

**Example** 

• 34 inch clear path





Obstructions in W/C securement area





### THANK YOU!

### **Dan Mundy**

dan.mundy@msn.com

(530)-589-0361



CalAct www.calact.org (800) 422-5228



### **QUESTIONS?**

